

**RESTRICTED USE PESTICIDE  
DUE TO ACUTE TOXICITY**

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USERS COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.



**FIFRA 24(c) SLN**  
For distribution and use only within the  
state of OREGON

**FIFRA 24(c) Special Local Need Label (SLN)**

**Parazone 3SL Herbicide**

**DESICCATION OF ALFALFA GROWN FOR SEED TO FACILITATE HARVEST**

This label is valid until December 31, 2022 or until otherwise amended, withdrawn, cancelled, or suspended.

**EPA REG. NO. 5481-615**

**EPA SLN NO. OR-180005**

| ACTIVE INGREDIENT   | % BY WT. |
|---|----------|
| Paraquat dichloride (1, 1'-dimethyl-4,4'-bipyridinium dichloride) ..... | 43.8%    |
| OTHER INGREDIENTS: .....  | 56.2%    |
| TOTAL: .....  | 100.0%   |

Contains 3.0 pounds paraquat cation per gallon as 4.14 pounds salt per gallon.  
Contains stenching (odor) and emetic.

**KEEP OUT OF REACH OF CHILDREN**

**DANGER/PELIGRO**



**POISON**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail).

**NEVER PUT INTO FOOD, DRINK, OR OTHER CONTAINERS.**  
**IF SWALLOWED, TAKE IMMEDIATE ACTION AS PRESCRIBED IN FIRST AID. SYMPTOMS ARE PROLONGED AND PAINFUL.**  
**DO NOT USE OR STORE IN OR AROUND THE HOME.**  
**DO NOT REMOVE CONTENTS EXCEPT FOR IMMEDIATE USE.**  
**THE ODOR OF THIS PRODUCT IS FROM THE STENCHING AGENT WHICH HAS BEEN ADDED, NOT FROM PARAQUAT.**

| <b>FIRST AID</b><br><b>Contains Paraquat, a Bipyridylum Herbicide</b> |  |
|---|--|
| <b>IF SWALLOWED:</b>  | <ul style="list-style-type: none"><li>• SPEED IS ESSENTIAL. Immediate medical attention is required. If available, give an adsorbent such as activated charcoal, bentonite, or Fuller's Earth.</li><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Do not give anything by mouth to an unconscious person.</li><li>• Have person sip glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to by a poison control center or doctor.</li></ul> |
| <b>IF INHALED:</b>  | <ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• The odor of this product is from the stenching agent, which has been added, not from the paraquat.</li><li>• If person is not breathing, call 911 or an ambulance.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>  |
| <b>IF IN EYES:</b>  | <ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li></ul>   |

|  |   |
|--|---|
|  | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>IF ON SKIN OR CLOTHING:</b>   | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul> |
| <p><b>NOTE TO PHYSICIAN:</b> Administer either activated charcoal (100 g for adults or 2 g/kg body weight in children) or Fuller's Earth (15% solution; 1 liter for adults or 15ml/kg body weight in children). NOTE: The use of gastric lavage without administration of an adsorbent has not shown any clinical benefit. Do not use supplemental oxygen. Eye splashes from concentrated material must be treated by an eye specialist after initial treatment. With the possibility of late onset corneal ulceration, it is advised that patients with paraquat eye injuries are reviewed by an eye specialist the day after first presentation. Use treatment that is appropriate for chemical burns. Intact skin is an effective barrier to paraquat, however contact with irritated or cut skin or repeated contact with intact skin may result in poisoning.</p> |   |
| <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.<br/> <b>FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY:</b><br/> For Medical Emergencies phone:.....1-888-681-4261<br/> For Transportation Emergencies, including spill, leak or fire, phone: CHEMTREC® .....1-800-424-9300<br/> For Product Use Information phone : AMVAC® .....1-888-462-6822</p>   |   |

**ENVIRONMENTAL HAZARDS**

This product is toxic to wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters or rinsate. Parazone® 3SL is a contact herbicide that desiccates all green plant tissue. Paraquat dichloride, the active ingredient in this product, is toxic to nontarget crops and plants if off-target movement occurs because it desiccates all green plant tissue. Extreme care must be taken to ensure that off-target drift is minimized to the greatest extent possible. Refer to the local and state laws, regulations, guidelines, and spray drift information contained in the **DIRECTIONS FOR USE** section for proper application to avoid off-target movement. Do not apply under conditions involving possible drift to food, forage, or other plantings that might be damaged or the crops thereof rendered unfit for sale, use, or consumption. Do not apply when weather conditions favor drift from treated areas. To avoid drift, do not make aerial applications during periods of thermal inversion.

**DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need (SLN) label and the EPA-registered Parazone 3SL product labeling must be in the possession of the user at the time of pesticide application.
- Read the "Limitation of Warranty and Liability" in the label booklet for Parazone® 3SL before using.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA-registered Parazone 3SL product label.

| <b>CROP</b>            | <b>DOSAGE (RATE PER ACRE)</b> | <b>COMMENTS</b>   |
|------------------------|-------------------------------|---|
| ALFALFA GROWN FOR SEED | 1.7 -2.7 pts                  | <p><b>Method of Application:</b> Broadcast</p> <p>Use higher rates with dense canopies and/or heavy weed pressure.</p> <p><b>Spray Volume:</b><br/> <u>Ground application:</u><br/> Use a minimum spray volume of 20-25 gallons per acre. Always add a nonionic surfactant containing 75% or more surface active agent at 0.125% v/v (1 pint per 100 gallons), OR add a nonionic surfactant containing 50-74% surface-active agent at 0.25% v/v (2 pts/100 gallons) of the finished spray volume for ground applications.<br/> <u>Aerial application:</u><br/> Use a minimum spray volume of 5-10 gallons per acre. Always add a nonionic surfactant at 0.25% v/v (2 pts/100 gallons) of the finished spray volume.</p> |

**RESTRICTIONS/PRECAUTIONS:**

- Use only on fields in production of alfalfa seed.
- Do not apply this product through any type of irrigation system.
- Do not enter or allow worker entry during the restricted-entry interval (REI) of 24 hours.

- Do not make more than 2 applications per crop per year. The maximum annual application rate is 5.33 pts/A (85.3 fl oz/A) per year.
- Do not harvest seed until at least 4 days after application.
- Do not apply when weather conditions favor drift from treated areas. Refer to spray drift information contained in the "Directions for Use" section of the Parazone® 3SL container label for proper application to avoid off-target movement.
- Do not apply by ground equipment within 25 ft. or by air within 75 ft. of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, and commercial fish ponds.
- Do not distribute alfalfa seed for human consumption or animal feed.
- Do not feed or graze alfalfa seed crops following applications of Parazone® 3SL.
- Do not cut treated alfalfa for hay or for forage.

### **Special Crop Use Restrictions**

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a non-feed/non-food use by the Oregon Department of Agriculture, and is regulated by the Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to, green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535. Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

**"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."**

Parazone is a registered trademark of AMVAC Chemical Corporation.

### **24(C) Registrant:**

AMVAC Chemical Corporation  
4100 East Washington Boulevard  
Los Angeles, CA 90023  
1-888-462-6822