MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS:

EMERGENCY TELEPHONE NUMBERS:

Micro Flo Company LLC (800)424-9300(CHEMTREC, transportation and spills)
P.O. BOX 772099 (800)900-4044(Poison Control Center, human health)
Memphis, TN 38117 (800)345-4735(ASPCA, animal health)

PRODUCT NAME : POAST PLUS®

CHEMICAL NAME : 2-{1-(ethoxyimino)butyl}-5-{2-(ethylthio)propyl}

-3-hydroxy-2-cyclohexen-1-one

FORMULA : C(17)H(29)O(3)N S

CHEMICAL FAMILY : Cyclohexanone

PRODUCT CODE : EPA Reg. No. 7969-88-51036

SECTION 2 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER	OSHA PEL	ACIGH TLV
Sethoxydim	13.0	74051-80-2	Not Est.	Not Est.
Inerts, including:	87.0	N/A		
Naphthalene	1.3	91-20-3	10 ppm	10 ppm

SECTION 3 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION: Clear Liquid

ODOR: Mild Aromatic

BOILING/MELTING POINT: N/D

SPECIFIC GRAVITY: 0.906 g/mL 7.56 lb/gal

pH: 3.21 - 3.5 (5% Aq.)

VAPOR PRESSURE mmHg @ 20 C: 2 WATER SOLUBILITY: Forms emulsion

SECTION 4 - FIRE & EXPLOSION HAZARD

FLASHPOINT (method): 188 °F TCC

FLAMMABLE LIMITS (LFL-UFL): Lower: 1.3 @ 70°C Upper: 5.3 @ 103°C

FIRE AND EXPLOSION HAZARD: None

EXTINGUISHING MEDIA: Use water fog, foam, CO(2), or dry chemical extinguishing media

FIRE FIGHTING EQUIPMENT: Firefighters should be equipped with self-contained breathing apparatus and turnout gear.

NFPA 704 HAZARD CODES:

Health - 2 Flammable - 2 Instability - 1 Other - n/a

SECTION 5 - HEALTH DATA

ACUTE TOXICITY:

Oral LD_{50} (rat) - >2200 mg/kg

Dermal LD_{50} (rat) - >2000 mg/kg

Inhalation LC_{50} (rat)(4 hr) - >7.6 mg/L

Eye Irritation (rabbit) - Slightly irritating Skin Irritation (rabbit) - Slightly irritating Sensitizer (guinea pig) - Non-sensitizing

EFFECTS OF OVEREXPOSURE: Causes moderate eye injury. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Inhalation of the mists/vapors results in irritation to the nose, throat and lungs.

A component (petroleum solvent) of this formulation: Slightly irritating to the eyes. Prolonged contact with skin may irritate and cause dermatitis. May aggravate an existing skin condition. Inhalation of vapor/aerosol concentrations (>1000 ppm) are irritating to eyes and respiratory tract, may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness and other central nervous system effects, including death. Small amounts aspirated into the respiratory system during ingestion or vomiting may cause mild to sever pulmonary injury, possible progressing to death.

A component of this product contains napthalene. Ingestion of naphthalene results in cramps, nausea, vomiting, and diarrhea; listlessness, bladder irritation and brownish urine. Inhalation of naphthalene may cause headache, confusion and excitement. Chronic overexposure to naphthalene may result in liver/kidney disorders. Hemolysis, anemia, fever, hemoglobuinuria and jaundice may also occur. Those with prior blood diseases may be more severely affected. A National Toxicology Program (NTP) report states that lifetime inhalation exposure to napthalene resulted in increase in tumors of the nose of rates. In a previous NTP study, lifetime inhalation exposure to napthalene increased lung tumors in female mice. The relevance of the rodent findings to humans is questionable.

CHRONIC OVEREXPOSURE EFFECTS: May result in liver/kidney disorders. Hemolysis, anemia, fever, hemoglobuinuria and jaundice may also occur. Those with prior blood diseases may be more severely affected.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Acute overexposure to solvent naphtha vapors

SIGNS AND SYMPTOMS OF OVEREXPOSURE: Acute overexposure to solvent naphtha vapors may cause central nervous system effects, including headache, dizziness, drowsiness, and confusion. Ingestion causes nausea, vomiting, blurred vision, and CNS disorder. Aspiration of the liquid into the lungs may result in chemical pneumonitis, which may be fatal. Prolonged or repeated skin contact may cause defatting and dermatitis.

The following special studies have been performed for the active ingredient:

Teratogencity (rat and rabbit) - negative

Reproductive studies (2 generations rat) - negative

Skin sensitization (guinea pig) - negative

FIRST AID PROCEDURES:

IF SWALLOWED - Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN- ake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first five minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF INHALED - Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

NOTE - Have the product container or label with you when calling a poison control center or doctor or going for treatment.

SECTION 6 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Heat, air, moisture CHEMICAL INCOMPATIBILITY: Oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: SO(2), NOx during combustion

HAZARDOUS POLYMERIZATION: Does not occur

CORROSIVE TO METAL: No

OXIDIZER: No

SECTION 7 - PERSONAL PROTECTION

PESTICIDE APPLICATORS & WORKERS: Refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard in 40 CFR Part 170.

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS: RESPIRATORY PROTECTION - Supplied air respirators should be worn if large quantities of vapor are generated or prolonged exposure possible.

EYE PROTECTION - Chemical goggles when respirator does not provide eye protection.

PROTECTIVE CLOTHING - Gloves and protective clothing to minimize skin contact. VENTILATION - Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

SECTION 8 - ECOLOGICAL INFORMATION

ENVIRONMENTAL TOXICITY: (For active ingredient)

96 hour LC₅₀, Bluegill - 265 mg/L

96 hour LC_{50} , Trout - 170 mg/L 48 hour EC_{50} , Daphnia - 78.1 mg/L Mallard Acute LD_{50} - >2510 mg/kg Mallard Dietary LC_{50} - >5620 ppm Bobwhite Dietary LC_{50} - >5620 ppm

Environmental toxicity data is not available for formulated product. Active ingredient is not toxic to honeybees when applied topically up to 10 ug/bee or when sprayed on at a concentration simulating exposure to the maximum recommended use rate 2000 ppm.

SARA TITLE III STATUS:

Section 313: Listed

Fire: Yes

Sudden Pressure: No

Reactivity: No Acute: Yes Chronic: Yes TPO: 10,000 lbs **SPILL AND LEAK PROCEDURE:** Recover material for use according to label whenever possible. Wear gloves, goggles and boots when cleaning up liquid spill. Cover contaminated area with absorbent material until dry. Spills which cannot be recovered should be contained, solidified and placed in suitable containers for disposal in a licensed facility.

HAZARDOUS SUBSTANCE SUPERFUND: Yes

WASTE DISPOSAL METHOD: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse container (or container). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state or local authorities, by burning. If burned, stay out of smoke.

SECTION 9 - TRANSPORT INFORMATION

DOT PROPER SHIPPING NAME: BULK - Combustible Liquid PACKAGE - None **DOT HAZARD CLASSIFICATION:**

Primary - BULK - Combustible Liquid (120 gallons or more)

PACKAGE - None Secondary - None

DOT LABELS REQUIRED: None

DOT PLACARDS REQUIRED: Combustible

BILL OF LADING DESCRIPTION:

BULK - Combustible liquid, NOS (contains Petroleum Distillate), NA 1993, RQ (Naphthalene), ERG 128

PACKAGE - Compounds, Tree or Weed Killing NOIBN (Herbicides)

CERCLA REPORTABLE QUANTITY: 100 lbs (Naphthalene; RO = 76,000 lbs. as product)

SECTION 10 - ADDITIONAL INFORMATION

7969-88-51036

KEEP OUT OF REACH OF CHILDREN CAUTION

Complete Label and Directions For Use are attached to the product

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

DISCLAIMER

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY MICRO FLO CO. HEREUNDER ARE GIVEN GRATIS AND MICRO FLO CO. ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

DATE PREPARED: November 5, 2001

DATE REVISED: October 25, 2002