

PROZAP[®]

ZINC PHOSPHIDE RODENT OAT BAIT

Kills Moles, Gophers, Rats & Mice

ACTIVE INGREDIENT:

Zinc Phosphide2.0%

INERT INGREDIENTS:.....98.0%

Total.....100.0%

EPA Reg. No. 61282-51

EPA Est. No. 61282-WI-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

Have label with you when obtaining treatment advice.

Any person applying zinc phosphide products and experiencing signs and symptoms such as nausea, abdominal pain, tightness in the chest, or weakness, should be seen by a physician immediately.

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center, doctor or 1-800-498-5743, immediately for treatment advice or transport the patient to the nearest hospital. • Do not drink water. • Do not administer anything by mouth. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing call an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center, doctor, or **1-800-498-5743**, immediately for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Wear rubber gloves when handling this product. Do not breathe dust. Wash thoroughly with soap and water after handling. Avoid contamination of feed or foodstuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply where runoff is likely to occur. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Check for and dispose of

excess or spoiled bait and carcasses daily until the bait is expended or removed.

Notice: It is a federal offense to use any pesticide in a manner that results in the death of a member of an endangered species. The use of this product may pose a hazard to Federally designated endangered/threatened species. Suggested measures to protect endangered species in your county may exist in an EPA "Interim Measures" pamphlet. You may call EPA's Endangered Species Hotline, 1-800-447-3813, to find out if an "Interim Measures" pamphlet exists for your county and have one sent to you. You can also consult your local county extension office or pesticide state lead agency to determine whether they have imposed any requirements in your area to protect endangered and threatened species.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this product for any other purpose or apply it using any method that is not directed by this label.

Read this Label: Read this entire label and follow all use directions and use precautions.

LAWNS, GOLF COURSES, OTHER NON-CROP AREAS TO CONTROL MOLES AND POCKET GOPHERS

Use Restrictions: This product may be used in lawns, golf courses, and other non-crop areas only to control pocket gophers and moles. All bait applications in these areas must be made directly into underground tunnels made by moles or pocket gophers. All bait must be applied manually (e.g., by gloved hand or hand probe delivery system) as directed below. Do not apply this product by use of a burrow-builder machine. Do not apply in gardens and areas where food or feed might be contaminated. Collect and bury all dead animals found above ground.

Specific Directions for Moles: The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows, or by damage to bulbs.

Surface Ridges: Prior to treatment determine which burrows are repeatedly active. To do this, either press down a small section of the tunnel or remove a one inch section of the tunnel's roof. Mark these sections and check them in 24 hours. The burrow is considered active if the flattened runway has been raised up or the roof has been repaired. Only treat active burrows. Carefully punch a hole in the top of active tunnels, drop a teaspoon amount of this product through the hole and carefully close the hole with sod or stone. Do not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment. If mole activity persists after two treatments,

abandon use of this product and seek another method of controlling moles.

Conical Mounds: Carefully remove the center plug from each conical mound. Drop a teaspoon amount of this product into the underground tunnel. Close the opening with a rock or sod. Do not allow loose dirt to cover bait. If mole activity persists after one treatment, a second treatment may be made. If mole activity persists after two treatments, abandon use of this product and seek another method for controlling moles.

Specific Directions for Pocket Gophers: Burrowing pocket gophers (*Thomomys* spp. and *Geomys* spp.) throw out low, fan shaped dirt mounds on either side of their underground tunnels. Lateral tunnels coming to the surface on the flat side of the fan are plugged with soil. Carefully remove the plug. With a long-handled spoon, insert a teaspoon amount of this product as far down as possible. Re-close opening with sod, soil, or a rock, being careful not to cover bait.

**IN AND AROUND BUILDINGS
TO CONTROL RATS AND MICE**

Important: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

Use Restrictions: This product may be used in and around homes, industrial, agricultural and commercial buildings, and similar manmade structures to control Norway rats, roof rats or house mice. Do not place this product in areas where there is a possibility that it will contaminate food or surfaces that come in direct contact with food. Do not broadcast bait.

Selection of Treatment Areas: After removing as many sources of food for rodents as possible, determine dry, acid-free areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in other locations where signs of rats or mice have been seen. Protect bait from rain or snow.

Baiting:

Rats: Apply 1 to 2 teaspoons (4 to 8 grams) of this product per placement. Space placements at intervals of 15 to 30 feet along vertical surfaces in infested area. Maintain an uninterrupted supply of fresh bait until new signs of feeding by rats have ceased to appear.

Mice: Apply 1 teaspoon (4 grams) of bait per placement. Space placements at intervals of 8- to 12-foot along vertical surfaces in infested areas. Maintain an uninterrupted supply of fresh bait until signs of new feeding by mice no longer appear.

Follow-up (Rats & Mice): Replace contaminated or spoiled bait immediately. Collect and properly dispose of all dead animals and leftover bait. To discourage reinvasion, limit sources of rodent food, water and harborage as much as possible and close off likely routes of entry into structures. Do not retreat the same area with this product at intervals of less than 30 days from end of the previous treatment period.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Household Label

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets.

If empty: Nonrefillable container. Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Non-Household Label

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

Pesticide Disposal: Wastes resulting from the use of this product, and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

Pesticide Container Disposal: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling is not available then dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**CONDITIONS OF SALE AND LIMITATION OF
WARRANTY AND LIABILITY**

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

Manufacturer and Seller warrant that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Manufacturer, and Buyer and User assume the risk of any such use. **MANUFACTURER AND SELLER MAKE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

SPECIMEN LABEL

In no event shall Manufacturer or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Manufacturer and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of Manufacturer.

For non-emergency (e.g., current product information)
call: **1-800-621-8829**

Manufactured By:
Hacco, Inc.
110 Hopkins Drive
Randolph, WI 53956 U.S.A.

Item No.: 112855
Net Contents: 1 pound (454 g)
UPC: 023626 04060 (1)
Format: UPC-A
Label:

Code (NE.NO.) NA.NO.