



50 microphos

Micronized Foliar Nutrient 0-8-0

GUARANTEED ANALYSIS

| | |
|--|--------|
| Available Phosphate (P ₂ O ₅) | 8.00% |
| 14.00% Total Phosphoric Acid (P ₂ O ₅) | |
| 6.00% Insoluble Phosphoric Acid (P ₂ O ₅) | |
| Calcium (Ca)..... | 10.00% |
| Zinc (Zn) | 50.00% |

DERIVED FROM: Calcium Phosphate, Zinc Oxide and Zinc Phosphate.

KEEP OUT OF REACH OF CHILDREN



WARNING

Harmful if swallowed.

PRECAUTIONARY STATEMENTS

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

FIRST AID

In all cases, call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** Call a poison center or doctor or doctor if you feel unwell. Rinse mouth.

For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.

STORAGE AND DISPOSAL

Store in a safe manner. Store in original container only and keep tightly sealed when not in use. Store product and dispose of unused product and empty containers in accordance with federal, state and local regulations.

GENERAL INFORMATION

RNA MICROPHOS 50 is a micronized, wettable powder and foliar nutrient formulated to achieve solution pH of approximately 6.8. **RNA MICROPHOS 50** is intended for use as part of a balanced fertility program. To achieve maximum value and avoid phytotoxic accumulation of zinc, recommendations must be based on tissue and soil nutrient analyses.

DIRECTIONS FOR USE

RNA MICROPHOS 50 may be applied as a foliar spray by air, ground, concentrate or dilute. Applications may be made through irrigation systems if effective anti-siphon equipment is in place to prevent water source contamination.

MIXING: Fill spray tank 1/3 full of water, add **RNA MICROPHOS 50**, agitate. Fully disperse **RNA MICROPHOS 50** prior to adding other spray materials. **RNA MICROPHOS 50** should disperse quickly and mix thoroughly. Speed of mixing is dependent upon water temperature and quality.

Thorough and even spray coverage is essential for maximum benefit and to prevent spray damage. Do not apply if spray solution will not dry thoroughly within 2 hours of application. Reduce rates by 50% when applied to soft tissue such as leafy vegetables, table grapes, or soft-skinned fruit under stress from rising temperatures or moisture deficits.

APPLICATION TIMING: **RNA MICROPHOS 50** is best applied prior to bud formation or flowering or when soil or tissue analyses indicate marginal or deficient nutrient levels. Seasonal growing conditions vary greatly, and best results will be obtained by consulting a crop production professional for accurate rate and timing requirements to meet local conditions.

Rate recommendations should be based on soil and tissue fertility analyses. Multiple low rate applications are generally more effective than a single high rate application. Use sufficient water for thorough coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

PERMANENT DECIDUOUS CROPS: As a cover spray, apply 2-10 pounds of **RNA MICROPHOS 50** per acre per application. When combined with spray oil during dormancy, do not exceed 8 pounds of **RNA MICROPHOS 50** per acre. Do not make applications in less than 10 gallons of water by air or less than 20 gallons of water by ground. **Caution:** Visible residue may be detectable. Do not apply to fresh market crops within 3 weeks of harvest. Post-harvest, apply up to 15 pounds per acre.

WALNUTS: Apply 2-10 pounds per acre. Multiple applications with copper sprays may be phytotoxic.

GRAPES: Apply up to 8 pounds per acre. Do not apply after buckshot.

CITRUS: Apply up to 20 pounds per acre. Do not apply more than 3 pounds of **RNA MICROPHOS 50** per 100 gallons of spray solution when mixed with spray oil.

VEGETABLE AND SEED CROPS: Apply 1-2 pounds of **RNA MICROPHOS 50** per acre per application.

FIELD CROPS: Apply 2-5 pounds of **RNA MICROPHOS 50** per acre per application.

COMPATIBILITY

Do not apply in spray solution below pH 5.5. Excessive buffering may solubilize metals and cause phytotoxicity to plants and fruit. Always test spray tank pH prior to application. Always jar test new combinations for compatibility prior to field mixing.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of the product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer and User accept all risks arising from any use of this product, including without limitation uses contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

To the extent permitted by law, neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement. K-051817

Manufactured by: **RNA**
22312 Railroad Avenue, San Joaquin, CA 93660
(559) 693-4520

NET WEIGHT: 25 POUNDS (11.34 kg)