

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS: ALBAUGH, LLC
Ankeny, IA 50021

EMERGENCY TELEPHONE NUMBERS:
(800) 424-9300 (CHEMTREC, transportation and spills)

PRODUCT NAME : TRICLOPYR 3A
CHEMICAL NAME : Triclopyr triethylamine salt
PRODUCT USE : Herbicide
PRODUCT CODE : EPA Reg. No 42750-127

SECTION 2 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

Light pinkish amber clear liquid

HEALTH HAZARDS: DANGER! Corrosive, serious eye damage. Potential skin sensitizer from exposure to concentrate.**PHYSICAL HAZARDS:** Combustible liquid. May release toxic fumes if burned.**ENVIRONMENTAL HAZARDS:** Highly toxic to certain terrestrial plant species. Mobile in soil and potential groundwater contaminant.**SECTION 3 - COMPOSITION, INFORMATION OF INGREDIENTS**

COMPONENT	PERCENTAGE	CAS NUMBER
Triclopyr Triethylamine salt	44.4	57213-69-1
Ethylenediaminetetraacetic acid (EDTA)	< 5.0	64-02-8
Ethanol	< 5.0	64-17-5

SECTION 4 - FIRST AID MEASURES

First Aid responders should use protective equipment in Section 8 if there is a potential for exposure to product.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.**IF INHALED:** Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

National Fire Protection Rating (NFPA)

HEALTH	3
FLAMMABILITY	2
REACTIVITY	0
4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

FLASHPOINT: 141°F (61°C)

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fires involve this material.

FIRE AND EXPLOSION HAZARD: May decompose in fire due to thermal decomposition, releasing toxic gases.

FIRE FIGHTING INSTRUCTIONS: Evacuate area and fight fire upwind from a safe distance to avoid possible hazardous fumes and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water runoff. Minimize use of water to prevent environmental contamination

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus with full facepiece and protective clothing.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILLS OR LEAKS: Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

SMALL SPILL: Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.

LARGE SPILL: Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. Clean contaminated area thoroughly with water. Pick up wash liquid with absorbent and place in a disposable container.

Minimize use of water to prevent environmental contamination

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

Wear proper safety equipment specified in Section 8 when mixing, loading or otherwise handling concentrate.

HANDLING: Use only in a well-ventilated area.

STORAGE: Store in original container with lid tightly closed. Keep away from food, feed and drinking water. Combustible liquid, store in a well ventilated, dry place away from heat and other sources of ignition.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION**EXPOSURE LIMITS (8 hour TWA, ppm):**

COMPONENT	OSHA PEL	ACIGH TLV
Triclopyr TEA salt	Not listed	Not listed
EDTA	Not listed	Not listed
Ethanol	1,000	1,000

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to minimize exposure to airborne contaminants. Local mechanical exhaust ventilation may be required. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT: Applicators and other handlers must wear:

EYE PROTECTION - Protective eyewear such as safety goggles or full face shield.

CLOTHING - Long-sleeved shirt and long pants, Shoes plus socks.

GLOVES – Chemical resistant gloves such as butyl rubber, nitrile rubber, neoprene rubber, or viton.

RESPIRATOR - When handling in enclosed areas where exposure limits may be exceeded, use a respirator approved for pesticides.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Light pinkish amber clear liquid
Odor:	Light alkaline odor
pH:	8.29 – 9.29
Melting Point:	Not applicable
Boiling Point:	No data
Flash Point:	141°F (61°C)
Evaporation Rate:	No data
Flammability:	Not flammable
Flammability Limits:	Not applicable
Vapor Pressure:	0.2 mPa (25°C) (Triclopyr)
Vapor Density:	Not applicable
Density:	1.14 – 1.18 g/ml (9.51 – 9.85 lb/gl)*
Solubility:	No data
Partition Coefficient:	log P _{ow} = 0.42 (pH5), -0.45 (pH7), -0.96 (pH9) (Triclopyr)
Auto-Ignition Temperature:	No data
Decomposition Temperature:	No data
Viscosity:	21.331 cSt (20°C); 8.679 cSt (40°C)

*Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

PRODUCT REACTIVITY: None known.

CHEMICAL STABILITY: Stable, however may decompose if heated.

HAZARDOUS REACTION/POLYMERIZATION: Product will not undergo polymerization.

CONDITIONS TO AVOID: Avoid temperatures above (105°F, 40°C) and below 40°F (6°C).

INCOMPATIBLE MATERIALS: Strong acids and oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: May decompose to hydrogen chloride, oxides of nitrogen and phosgene when burning.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity values from a similar but not identical formulation.

ACUTE TOXICITY:

Oral LD ₅₀ (rat)	- 1,800 mg/Kg
Dermal LD ₅₀ (rat)	- > 5,000 mg/Kg
Inhalation LC ₅₀ (rat)	- > 2.0 mg/L
Eye Irritation (rabbit)	- Severely irritating with corneal injury possible.
Skin Irritation (rabbit)	- Slight irritant
Sensitization (guinea pig)	- Potential sensitizer from prolonged or repeated exposure

CARCINOGEN STATUS:

OSHA -	- Not listed
NTP -	- Not listed
IARC -	- Not listed

TERATOGENICITY: Evidence of toxicity only at maternally toxic doses.

MUTAGENICITY: No evidence of mutagenicity.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Do not contaminate water when disposing of equipment washwaters. Under certain conditions, treatment of aquatic weeds can result in oxygen depletion or loss due to decomposition of dead plants, which may contribute to fish suffocation. This loss can cause fish suffocation. Therefore, to minimize this hazard, do not treat more than one-third to one-half of the water area in a single operation and wait at least 10 to 14 days between treatments. Begin treatment along the shore and proceed outwards in bands to allow fish to move into untreated areas. Consult with the State agency for fish and game before applying to public water to determine if a permit is needed.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

FATE: Triclopyr TEA salt rapidly disassociates to the parent acid. Triclopyr acid is slightly persistent with a soil half life of 2 to 6 weeks depending on soil type and weather conditions. Triclopyr acid is water soluble and mobile in soil.

FISH TOXICITY: (triclopyr TEA)

96 hour LC ₅₀ , Rainbow trout –	400 ppm
96 hour LC ₅₀ , Bluegill –	600 ppm

AVIAN TOXICITY: (triclopyr TEA)Dietary LC₅₀, Bobwhite quail – > 10,000 ppmDietary LC₅₀, Mallard duck – > 10,000 ppm**BEE TOXICITY:** (triclopyr TEA) – > 100 ug/bee**SECTION 13 - DISPOSAL CONSIDERATIONS**

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE WASTE: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-refillable containers: Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

(non-refillable <5 gallons): Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Refer to product label to determine if container is refillable and for complete cleaning and disposal instructions.

SECTION 14 - TRANSPORT INFORMATION**DOT SHIPPING DESCRIPTION:**

Containers ≤ 119 gallons -

Not regulated by DOT

Containers > 119 gallons –

NA1993, Combustible Liquid, N.O.S. (triethylamine, ethanol), PG III

DOT HAZARD CLASS:

Combustible liquid (> 119 gallons)

IDENTIFICATION NUMBER:

NA1993

DOT PACKING GROUP:

PG III

SECTION 15 - REGULATORY INFORMATION**CERCLA REPORTABLE QUANTITY:**

5,000 # (EDTA) (< 3% of product formulation)

SARA TITLE III STATUS:

311/312 Hazard Categories –

Immediate & Delayed Health Hazard, Fire Hazard

313 Toxic Chemicals –

None known

CALIFORNIA PROP 65:

Not listed

TSCA:

This product is exempted from TSCA because it is solely for FIFRA regulated use.

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	3
	FLAMMABILITY	2
	PHYSICAL HAZARD	0
	4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

REVISED DATE: November, 2014

REFERENCE: Update for GHS compliance