



Material Safety Data Sheet

TripleFLEX™ HERBICIDE

Issue Date: 5-AUG-2010
Version: 4.0

1. Product and Company Identification

Product Name: TripleFLEX™ Herbicide
EPA Reg. Number: 62719-570-524

COMPANY IDENTIFICATION:

MONSANTO COMPANY
800 N. Lindbergh Blvd.
St. Louis, MO 63167

EMERGENCY TELEPHONE NUMBER

Dow AgroSciences 24-Hour Emergency Contact: 800-992-5994

2. Hazards Identification

Emergency Overview

Color: White

Physical State: Liquid.

Odor: Aromatic

Hazards of product:

WARNING! Combustible liquid and vapor. Causes skin irritation. Harmful if absorbed through skin. May cause allergic skin reaction. May cause eye irritation. May be harmful if inhaled. Isolate area. Keep upwind of spill. Toxic fumes may be released in fire situations. Possible cancer hazard. May cause cancer based on animal data.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause slight eye irritation. May cause slight temporary corneal injury. May cause pain disproportionate to the level of irritation to eye tissues.

Skin Contact: Brief contact may cause severe skin irritation with pain and local redness. Prolonged contact may cause skin irritation, even a burn.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Repeated skin contact may result in absorption of amounts which could cause death.

Prolonged/repeated exposure to damaged skin (as in burn patients) may result in absorption of toxic amounts.

Skin Sensitization: For the active ingredient(s): Acetochlor. Has caused allergic skin reactions when tested in guinea pigs.

Inhalation: Mist may cause irritation of upper respiratory tract (nose and throat). Prolonged excessive exposure may cause adverse effects.

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

Aspiration hazard: Based on available information, aspiration hazard could not be determined.

Effects of Repeated Exposure: For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Central nervous system. Liver. Kidney. Testes.

Cancer Information: For the active ingredient(s): Acetochlor. Has caused cancer in laboratory animals. Contains naphthalene which has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative.

Birth Defects/Developmental Effects: For the active ingredient(s): Acetochlor. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure.

Reproductive Effects: For the active ingredient(s): Acetochlor. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

3. Composition Information

Component	CAS #	Amount
Acetochlor	34256-82-1	41.67 %
Flumetsulam	98967-40-9	1.3 %
Clopyralid monoethanolamine salt	57754-85-5	4.27 %
Dichlormid	37764-25-3	3.5 %
II Propylene glycol	57-55-6	>= 10.0 - <= 12.0 %
Naphthalene	91-20-3	0.1 %
Balance		>= 37.16 - <= 39.16 %

4. First-aid measures

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

Skin Contact: Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly. Suitable emergency safety shower facility should be immediately available.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

Notes to Physician: Absorption may be promoted by damaged skin. J Pharm Sci. 1985 Oct;74(10):1062-6; Burns Incl Therm Inj 1982 Sep;9(1):49-52. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

Emergency Personnel Protection: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

5. Fire Fighting Measures

Extinguishing Media: To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Move container from fire area if this is possible without hazard. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn. Container may rupture from gas generation in a fire situation.

Hazardous Combustion Products: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

6. Accidental Release Measures

Steps to be Taken if Material is Released or Spilled: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance.

Personal Precautions: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to Section 7, Handling, for additional precautionary measures. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

7. Handling and Storage

Handling

General Handling: Keep out of reach of children. Do not swallow. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Wash thoroughly after handling. Keep container closed. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Keep away from heat, sparks and flame.

Storage

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Type	Value
Naphthalene	ACGIH	TWA	10 ppm SKIN
	ACGIH	STEL	15 ppm SKIN
	OSHA Table Z-1	PEL	50 mg/m3 10 ppm
Propylene glycol	WEEL	TWA Aerosol.	10 mg/m3
Flumetsulam	Manufacturer exposure limit	TWA	3 mg/m3

A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material including mucous membranes and the eyes either by contact with vapors or by direct skin contact.

It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposures should be considered.

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Personal Protection

Eye/Face Protection: Use safety glasses (with side shields).

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Use chemical protective clothing resistant to this material, when there is any possibility of skin contact.

Hand protection: Use gloves, chemically resistant to this material, at all times. Examples of preferred glove barrier materials include: Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. Examples of acceptable glove barrier materials include: Butyl rubber. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Physical State

Liquid.

Color	White
Odor	Aromatic
Odor Threshold	No test data available
Flash Point - Closed Cup	> 93 °C (> 199 °F) <i>Closed Cup</i>
Flammable Limits In Air	Lower: No test data available Upper: No test data available
Autoignition Temperature	No test data available
Vapor Pressure	No test data available
Boiling Point (760 mmHg)	No test data available.
Vapor Density (air = 1)	No test data available
Specific Gravity (H2O = 1)	
Liquid Density	1.080 g/cm ³
Freezing Point	No test data available
Melting Point	Not applicable
Solubility in water (by weight)	emulsifiable
pH	7.5 - 9.0 <i>pH Electrode</i>
Decomposition Temperature	No test data available
Partition coefficient, n-octanol/water (log Pow)	No data available for this product. See Section 12 for individual component data.
Evaporation Rate (Butyl Acetate = 1)	No test data available
Kinematic Viscosity	No test data available

10. Stability and Reactivity

Stability/Instability

Thermally stable at typical use temperatures.

Conditions to Avoid: Some components of this product can decompose at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible Materials: Avoid contact with: Oxidizers.

Hazardous Polymerization

Will not occur.

Thermal Decomposition

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Hydrogen chloride. Nitrogen oxides. Sulfur oxides.

11. Toxicological Information

Acute Toxicity

Ingestion

As product. Single dose oral LD50 has not been determined.

Based on information for component(s): LD50, Rat > 2,000 mg/kg

Dermal

As product. The dermal LD50 has not been determined.

For the active ingredient(s): LD50, Rabbit > 2,000 mg/kg

Inhalation

As product. The LC50 has not been determined.

Based on information for component(s): Estimated. LC50, Aerosol, Rat > 5 mg/l

Eye damage/eye irritation

May cause slight eye irritation. May cause slight temporary corneal injury. May cause pain disproportionate to the level of irritation to eye tissues.

Skin corrosion/irritation

Brief contact may cause severe skin irritation with pain and local redness. Prolonged contact may cause skin irritation, even a burn.

Sensitization

Skin

For the active ingredient(s): Acetochlor. Has caused allergic skin reactions when tested in guinea pigs.

Respiratory

No relevant information found.

Repeated Dose Toxicity

For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Central nervous system. Liver. Kidney. Testes.

Chronic Toxicity and Carcinogenicity

For the active ingredient(s): Acetochlor. Has caused cancer in laboratory animals. Contains naphthalene which has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative. For the active ingredient(s): Dichlormid. Flumetsulam. Did not cause cancer in laboratory animals.

Carcinogenicity Classifications:

Component	List	Classification
Naphthalene	IARC	Possibly carcinogenic to humans.; 2B
	NTP	Anticipated carcinogen.

Developmental Toxicity

For the active ingredient(s): Acetochlor. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Clopyralid caused birth defects in test animals, but only at greatly exaggerated doses that were severely toxic to the mothers. No birth defects were observed in animals given clopyralid at doses several times greater than those expected during normal exposure. Did not cause birth defects in laboratory animals. For the active ingredient(s): Flumetsulam. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

Reproductive Toxicity

For the active ingredient(s): Acetochlor. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. For the active ingredient(s): Flumetsulam. In animal studies, did not interfere with reproduction.

Genetic Toxicology

For the active ingredient(s): Acetochlor. In vitro genetic toxicity studies were negative in some cases and positive in other cases. Animal genetic toxicity studies were predominantly negative. For the active ingredient(s): Flumetsulam. In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

12. Ecological Information

ENVIRONMENTAL FATE

Data for Component: **Acetochlor**

Movement & Partitioning

Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5). Potential for mobility in soil is medium (Koc between 150 and 500).

Henry's Law Constant (H): 4.77E-05 atm*m3/mole; 25 °C Estimated.

Partition coefficient, n-octanol/water (log Pow): 3.03 - 4.14 Measured

Partition coefficient, soil organic carbon/water (Koc): 176 Estimated.

Persistence and Degradability

No relevant information found.

Data for Component: Flumetsulam**Movement & Partitioning**

Bioconcentration potential is low (BCF less than 100 or log Pow less than 3). Potential for mobility in soil is slight (Koc between 2000 and 5000).

Henry's Law Constant (H): 4.77E-15 atm*m3/mole; 25 °C Estimated.

Partition coefficient, n-octanol/water (log Pow): 1.50 Estimated.

Partition coefficient, soil organic carbon/water (Koc): 3,100 Estimated.

Persistence and Degradability

Material is not readily biodegradable according to OECD/EEC guidelines.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
			9 - 19 %

Theoretical Oxygen Demand: 2.02 mg/mg

Data for Component: Clopyralid monoethanolamine salt**Movement & Partitioning**

For similar active ingredient(s). Bioconcentration potential is low (BCF less than 100 or log Pow less than 3). Potential for mobility in soil is very high (Koc between 0 and 50).

Persistence and Degradability

For similar active ingredient(s). Biodegradation under aerobic laboratory conditions is below detectable limits (BOD20 or BOD28/ThOD < 2.5%).

Data for Component: Dichlormid**Movement & Partitioning**

Potential for mobility in soil is medium (Koc between 150 and 500). Bioconcentration potential is low (BCF less than 100 or log Pow less than 3).

Henry's Law Constant (H): 3.29E-07 atm*m3/mole; 25 °C Estimated using a bond contribution method.

Partition coefficient, n-octanol/water (log Pow): 2.28 Estimated.

Partition coefficient, soil organic carbon/water (Koc): 360 Estimated.

Persistence and Degradability

No relevant information found.

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
2.04E-17 cm3/s	0.48 d	Estimated.

Data for Component: Propylene glycol**Movement & Partitioning**

Bioconcentration potential is low (BCF less than 100 or log Pow less than 3). Potential for mobility in soil is very high (Koc between 0 and 50). Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Henry's Law Constant (H): 1.2E-08 atm*m3/mole Measured

Partition coefficient, n-octanol/water (log Pow): -0.92 Measured

Partition coefficient, soil organic carbon/water (Koc): < 1 Estimated.

Persistence and Degradability

Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.28E-11 cm3/s	10 h	Estimated.

OECD Biodegradation Tests:

Biodegradation	Exposure Time	Method
81 %	28 d	OECD 301F Test
96 %	64 d	OECD 306 Test

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
69 %	70 %	86 %	

Chemical Oxygen Demand: 1.53 mg/mg

Theoretical Oxygen Demand: 1.68 mg/mg

Data for Component: **Naphthalene**

Movement & Partitioning

Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5). Potential for mobility in soil is medium (Koc between 150 and 500).

Henry's Law Constant (H): 2.92E-04 - 5.53E-04 atm*m3/mole; 25 °C Measured

Partition coefficient, n-octanol/water (log Pow): 3.3 Measured

Partition coefficient, soil organic carbon/water (Koc): 240 - 1,300 Measured

Bioconcentration Factor (BCF): 40 - 300; fish; Measured

Distribution in Environment: Mackay Level 1 Fugacity Model:

Air	Water.	Biota	Soil	Sediment
74 %	8.5 %	< 0.01 %	18 %	0.39 %

Persistence and Degradability

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
2.16E-11 cm3/s	5.9 h	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
57 %	71 %	71 %	

Theoretical Oxygen Demand: 3.00 mg/mg

ECOTOXICITY

Data for Component: **Acetochlor**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species). Material is highly toxic to fish on an acute basis (LC50 between 0.1 and 1.0 mg/L). Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Fish Acute & Prolonged Toxicity

LC50, rainbow trout (*Oncorhynchus mykiss*), 96 h: 0.36 mg/l

Aquatic Invertebrate Acute Toxicity

LC50, water flea *Daphnia magna*, 48 h, immobilization: 9 mg/l

EC50, eastern oyster (*Crassostrea virginica*), flow-through, 96 h: 4.2 mg/l

Aquatic Plant Toxicity

EyC50, green alga *Pseudokirchneriella subcapitata* (formerly known as *Selenastrum capricornutum*), Growth inhibition (cell density reduction), 96 h: 0.00027 mg/l

EyC50, duckweed *Lemna sp.*, Growth inhibition (cell density reduction), 7 d: 0.0027 mg/l

Toxicity to Above Ground Organisms

oral LD50, bobwhite (*Colinus virginianus*): 928 mg/kg bodyweight.

dietary LC50, bobwhite (*Colinus virginianus*): > 5200 mg/kg diet.

dietary LC50, mallard (*Anas platyrhynchos*): > 5620 mg/kg diet.

oral LD50, Honey bee (*Apis mellifera*): > 100 micrograms/bee

contact LD50, Honey bee (*Apis mellifera*): > 200 micrograms/bee

Toxicity to Soil Dwelling Organisms

LC50, Earthworm *Eisenia foetida*, adult, 14 d: 211 mg/kg

Data for Component: **Flumetsulam**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Fish Acute & Prolonged Toxicity

LC50, rainbow trout (*Oncorhynchus mykiss*), static, 96 h: > 300 mg/l

Aquatic Invertebrate Acute Toxicity

LC50, water flea *Daphnia magna*, static, 48 h, survival: > 300 mg/l

Aquatic Plant Toxicity

EbC50, green alga *Pseudokirchneriella subcapitata* (formerly known as *Selenastrum capricornutum*), biomass growth inhibition, 120 h: 0.00493 mg/l

Toxicity to Above Ground Organisms

oral LD50, bobwhite (*Colinus virginianus*): > 2,250 mg/kg

dietary LC50, bobwhite (*Colinus virginianus*): > 5,620 ppm

Data for Component: Clopyralid monoethanolamine salt

Material is practically non-toxic to fish on an acute basis (LC50 > 100 mg/L). Material is practically non-toxic to aquatic invertebrates on an acute basis (LC50/EC50 > 100 mg/L). Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Fish Acute & Prolonged Toxicity

LC50, fathead minnow (*Pimephales promelas*), static, 96 h: > 2,900 mg/l

LC50, bluegill (*Lepomis macrochirus*), static, 96 h: 125 - 4,686 mg/l

LC50, rainbow trout (*Oncorhynchus mykiss*), static, 96 h: 1,968 - 2,900 mg/l

Aquatic Invertebrate Acute Toxicity

LC50, water flea *Daphnia magna*, static, 48 h, survival: 1,100 mg/l

EC50, water flea *Daphnia magna*, static, 48 h, immobilization: 225 - 1,133 mg/l

Aquatic Plant Toxicity

EbC50, green alga *Pseudokirchneriella subcapitata* (formerly known as *Selenastrum capricornutum*), static, 96 h: 6.9 mg/l

Toxicity to Above Ground Organisms

oral LD50, mallard (*Anas platyrhynchos*): 1465 - 2000 mg/kg bodyweight.

dietary LC50, bobwhite (*Colinus virginianus*): > 5620 mg/kg diet.

contact LD50, Honey bee (*Apis mellifera*): > 100 micrograms/bee

oral LD50, Honey bee (*Apis mellifera*): > 100 micrograms/bee

Data for Component: Dichlormid

Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested). Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm).

Fish Acute & Prolonged Toxicity

LC50, rainbow trout (*Oncorhynchus mykiss*), static, 96 h: 141 mg/l

LC50, rainbow trout (*Oncorhynchus mykiss*), flow-through, 28 d: 36 mg/l

Aquatic Invertebrate Acute Toxicity

EC50, water flea *Daphnia magna*, static, 48 h, immobilization: 161 mg/l

NOEC, water flea *Daphnia magna*, static renewal, 21 d: 1.7 mg/l

Aquatic Plant Toxicity

EbC50, green alga *Pseudokirchneriella subcapitata* (formerly known as *Selenastrum capricornutum*), 72 h: 33 mg/l

ErC50, green alga *Pseudokirchneriella subcapitata* (formerly known as *Selenastrum capricornutum*), 72 h: 80 mg/l

Toxicity to Micro-organisms

EC50; bacteria, 6 h: 1,180 mg/l

Toxicity to Above Ground Organisms

oral LD50, bobwhite (*Colinus virginianus*): 1545 mg/kg bodyweight.

dietary LC50, bobwhite (*Colinus virginianus*): > 10000 mg/kg diet.

dietary LC50, mallard (*Anas platyrhynchos*): 14500 mg/kg diet.

Toxicity to Soil Dwelling Organisms

LC50, Earthworm *Eisenia foetida*, adult, 14 d: 391 mg/kg

Data for Component: Propylene glycol

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity

LC50, rainbow trout (*Oncorhynchus mykiss*), static, 96 h: 44,000 - 51,600 mg/l

Aquatic Invertebrate Acute ToxicityEC50, water flea *Daphnia magna*, 48 h, immobilization: 4,850 - 34,000 mg/l**Aquatic Plant Toxicity**EbC50, green alga *Pseudokirchneriella subcapitata* (formerly known as *Selenastrum capricornutum*), biomass growth inhibition, 96 h: 19,000 mg/l**Toxicity to Micro-organisms**

EC50; bacteria, 16 h: 26,000 mg/l

EC50, OECD 209 Test; activated sludge, 3 h: > 1,000 mg/l

Data for Component: Naphthalene

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

Fish Acute & Prolonged ToxicityLC50, rainbow trout (*Oncorhynchus mykiss*), 96 h: 0.11 mg/l**Aquatic Invertebrate Acute Toxicity**EC50, water flea *Daphnia magna*, static, 48 h, immobilization: 1.6 - 24.1 mg/l**13. Disposal Considerations**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information**DOT Non-Bulk**

NOT REGULATED

DOT Bulk

NOT REGULATED

IMDG**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S**Technical Name:** Acetochlor, Naphthalene**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III**EMS Number:** F-A,S-F**Marine pollutant.:** Yes**ICAO/IATA****Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S**Technical Name:** Acetochlor, Naphthalene**Hazard Class:** 9 **ID Number:** UN3082 **Packing Group:** PG III**Cargo Packing Instruction:** 914**Passenger Packing Instruction:** 914**Additional Information**

MARINE POLLUTANT

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the

transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard	Yes
Delayed (Chronic) Health Hazard	Yes
Fire Hazard	Yes
Reactive Hazard	No
Sudden Release of Pressure Hazard	No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product contains the following substances which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and which are listed in 40 CFR 372.

Component	CAS #	Amount
Naphthalene	91-20-3	0.1%

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which require reporting.

Component	CAS #	Amount
Propylene glycol	57-55-6	>= 10.0 - <= 12.0 %

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This product contains the following substances which are subject to CERCLA Section 103 reporting requirements and which are listed in 40 CFR 302.4.

Component	CAS #	Amount
Naphthalene	91-20-3	0.1%

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

Toxic Substances Control Act (TSCA)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

16. Other Information

Hazard Rating System

NFPA	Health	Fire	Reactivity
	3	1	0

Revision

Identification Number: 000000034413

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Supersedes Version 3.0 dated 08/01/2010

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for activities such as exposure monitoring and medical surveillance if exceeded.

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Monsanto Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Monsanto Company be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

TripleFlex.810-2