

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS: ALBAUGH, LLC
Ankeny, IA 50021

EMERGENCY TELEPHONE NUMBERS:
(800) 424-9300 (CHEMTREC, transportation and spills)

PRODUCT NAME : **BROX-M ULTRA**

CHEMICAL NAME : Bromoxynil octanoate ester and MCPA ethylhexyl ester

PRODUCT USE : Herbicide

PRODUCT CODE : EPA Reg. No 42750-103

SECTION 2 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

Clear dark amber liquid

HEALTH HAZARDS: May be fatal if swallowed.
Moderate eye irritant.

PHYSICAL HAZARDS: May release toxic fumes if burned.

ENVIRONMENTAL HAZARDS: Toxic to wildlife and fish.



SECTION 3 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER
Bromoxynil Octanoate	36.8	1689-99-2
MCPA ethylhexyl ester	40.0	29450-45-1
Petroleum distillates*	15.0-16.0	64742-94-5
*Naphthalene	2.0-3.0	91-20-3

SECTION 4 - FIRST AID MEASURES

First Aid responders should use protective equipment in Section 8 if there is a potential for exposure to product.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air, if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate, vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5 - FIRE FIGHTING MEASURES

National Fire Protection Rating (NFPA)

HEALTH	2
FLAMMABILITY	1
REACTIVITY	0
4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

FLASHPOINT: > 200 F**EXTINGUISHING MEDIA:** Use foam, dry chemical, carbon dioxide, or water spray.**FIRE AND EXPLOSION HAZARD:** May decompose in fire, releasing irritating and toxic gases.**FIRE FIGHTING INSTRUCTIONS:** Evacuate area and fight fire upwind from a safe distance to avoid possible hazardous fumes and decomposition products. Dike and collect water used to fight fire to prevent environmental damage due to run off. Foam or dry chemical fire extinguishing systems are preferred to prevent environmental damage from excessive water run off.

Minimize use of water to prevent environmental contamination. Contact your State Pesticide or Environmental Control Agency, or nearest EPA Regional Office for guidance on disposal.

FIRE FIGHTING EQUIPMENT: Self-contained breathing apparatus with full facepiece and protective clothing.**HAZARDOUS COMBUSTION PRODUCTS:** Hydrogen chloride, Hydrogen bromide, Nitrogen oxides, Sulfur oxides and Oxides of carbon.**SECTION 6 - ACCIDENTAL RELEASE MEASURES****IN CASE OF SPILLS OR LEAKS:** Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.**SMALL SPILL:** Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.**LARGE SPILL:** Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, scrub the area with detergent and water and neutralize with dilute alkaline solutions of soda ash, or lime. Minimize use of water to prevent environmental contamination**SECTION 7 - HANDLING AND STORAGE**

KEEP OUT OF REACH OF CHILDREN!

Wear proper safety equipment specified in Section 8 when mixing, loading or otherwise handling concentrate.

HANDLING: Use only in a well-ventilated area. Wear appropriate safety equipment when handling.**STORAGE:** Store in original container with lid tightly closed. Keep away from food, feed and drinking water. Combustible liquid, store in a well ventilated, dry place away from heat and sources of ignition. Store above 35° F.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION**EXPOSURE LIMITS (8 hour TWA, ppm):**

COMPONENT	OSHA PEL	ACIGH TLV
Bromoxynil Octanoate	Not listed	Not listed
MCPA ethylhexyl ester	Not listed	Not listed
Naphthalene	10 ppm	10 ppm TWA 15 ppm ST

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to keep exposure to airborne contaminants below the exposure limit. Local mechanical exhaust ventilation may be required. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT: Refer to container label for complete and additional PPE instructions.

EYE PROTECTION - Safety goggles or full face shield.

CLOTHING – Long-sleeved shirt and long pants, Shoes plus socks,

GLOVES – Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber or viton.

Additional PPE requirements for mixers and loaders supporting aerial application to rangelands, pasture lands, or noncropland. These mixers/loaders also must wear a chemical resistant apron, and a NIOSH approved particulate filtering respirator equipped with N, R, or P class filter media with NIOSH approval number prefix TC-84A.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear dark amber liquid
Odor:	Oil paint-like odor
pH:	3.5 – 4.5
Melting Point:	Not applicable
Boiling Point:	No data
Flash Point:	> 200 F
Evaporation Rate:	No data
Flammability:	No data
Flammability Limits:	No data
Vapor Pressure:	<1 x 10 ⁻⁴ mPa (40°C) (bromoxynil octanoate)
Vapor Density:	Not applicable
Density:	1.15 – 1.21 g/ml (9.60 – 10.10 lb/gl)*
Solubility:	Emulsifies
Partition Coefficient:	log Pow = 5.9 (pH 7) (25°C) (bromoxynil octanoate)
Auto-Ignition Temperature:	No data
Decomposition Temperature:	No data
Viscosity:	Not available

*Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

PRODUCT REACTIVITY: None known.

CHEMICAL STABILITY: Stable, however may decompose if heated.

HAZARDOUS REACTION/POLYMERIZATION: Product will not undergo polymerization.

CONDITIONS TO AVOID: Avoid temperatures above (115°F, 46°C) and below 25°F (-5°C).

INCOMPATIBLE MATERIALS: Acidic and oxidizing materials, halogenated organics, brass, copper, zinc and aluminum metals.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen chloride, Oxides of nitrogen, Chlorinated pyridine.

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral LD ₅₀ (rat)	337.6 mg/kg
Dermal LD ₅₀ (rat)	>5,000 mg/kg
Inhalation LC ₅₀ (rat)	>2.07 mg/L
Eye Irritation (rabbit)	Mildly irritating
Skin Irritation (rabbit)	Slightly irritating
Sensitization (guinea pig)	Not a contact sensitizer

CARCINOGEN STATUS:

OSHA	- Not listed
NTP	- Naphthalene
IARC	- Naphthalene: 2B

TERATOGENICITY: Bromoxynil phenol is considered a possible developmental toxicant.

MUTAGENICITY: No evidence of mutagenic effects during in vivo or in vitro studies.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: This pesticide may be toxic to fish, aquatic invertebrates and aquatic plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

FATE: Bromoxynil octanoate de-esterifies rapidly to the parent phenol after application. Bromoxynil phenol is very mobile in soil and slightly persistent with a half-life of 1-35 days depending on soil types and weather conditions.

MCPA EH ester de-esterifies to the parent acid in the environment which has a half-life of 10-14 days depending on soil type.

FISH TOXICITY: (Bromoxynil Octanoate acid)
 96 hour LC₅₀, Rainbow trout – 0.05 ppm (highly toxic)
 96 hour LC₅₀, Bluegill – 0.05 ppm (highly toxic)

FISH TOXICITY: (MCPA acid)
 96 hour LC₅₀, Rainbow trout – 230 mg/L
 96 hour LC₅₀, Bluegill - unknown

AVIAN TOXICITY: (Bromoxynil Octanoate acid)
 Oral LD₅₀, Bobwhite quail – 145 mg/Kg
 Oral LD₅₀, Mallard duck – 2,050 mg/Kg

AVIAN TOXICITY: (MCPA acid)
 Oral LD₅₀, Bobwhite quail – 370 mg/Kg
 Oral LD₅₀, Mallard duck - unknown

BEE TOXICITY: (Octanoate) - 14 ug/bee

BEE TOXICITY: (MCPA acid) - > 100 ug/bee

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food or feed by storage or disposal.

WASTE: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER: Non-refillable containers: Do not reuse or refill this container. Offer for reconditioning, if appropriate. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.
Refillable container: Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Refer to the container label to determine if it is refillable and for complete cleaning and disposal instructions.

SECTION 14 - TRANSPORT INFORMATION

SHIPPING DESCRIPTION:
 (Domestic ground transport)

Containers ≤ 345 gallons –

Not regulated

Containers > 345 gallons –

UN3082, Environmentally Hazardous Substances, Liquid, N.O.S.,
 9, PG III, RQ (Naphthalene)

DOT HAZARD CLASS:
IDENTIFICATION NUMBER:
DOT PACKING GROUP:

Class 9
 UN3082
 PG III

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY:

Naphthalene – RQ 100 lbs (approx. 345 gallons of product)

SARA TITLE III STATUS:

311/312 Hazard Categories –
 313 Toxic Chemicals –

Immediate
 Naphthalene

CALIFORNIA PROP 65:

Bromoxynil octanoate

TSCA:

This product is exempted from TSCA because it is solely for FIFRA regulated use.

SECTION 16 - OTHER INFORMATION

HMIS HAZARD RATINGS	HEALTH	2
	FLAMMABILITY	1
	PHYSICAL HAZARD	0
	4=Severe 3=Serious 2=Moderate 1=Slight 0=Minimal	

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

REVISED DATE: May 2019

REFERENCE: Updated for Naphthalene (Section 3, 8, 11 & 15)