

CROP OIL

Principal Functioning Agents:

Lubricating oils (petroleum), hydrotreated spent, tall oil fatty acids, alkyl phenol ethoxylate	99.67%
Constituents ineffective as spray adjuvants	0.33%
Total	100.00%

All ingredients are exempt from tolerance under 40 CFR 180.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Harmful if swallowed, inhaled, or absorbed through the skin. Causes serious eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or smoking tobacco.

Personal Protection Equipment: Wear chemical-resistant gloves, long-sleeved shirt and long pants, shoes plus socks and eye/face protection when using CROP OIL.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

NOT FOR AQUATIC USE

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

WA Reg. No. 48013-20009

SN: 051520

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

GENERAL INFORMATION

CROP OIL contains a mixture of highly-refined, low impurity oil and high quality emulsifiers that are specifically designed to aid penetration of certain herbicides into targets that are susceptible to oils. The increased infiltration of actives provides better and more consistent control of pests. Use CROP OIL wherever crop oil concentrates (COC) are allowed, recommended or required.

RECOMMENDED RATES

CROP OIL increases the activity of herbicides. Caution should be used when applying CROP OIL with herbicides, where the user or crop advisor does not have experience with the combination, to new varieties or highly inbred lines that may be susceptible or under stressful weather conditions, such as high temperatures and high humidity that tend to increase phytotoxicity of all ingredients. The use of test areas is recommended if these conditions prevail. Due to differences in water, pesticide formulations, and other conditions, pre-testing of the intended tank mixture is recommended.

Always follow the pesticide manufacturer's label directions. CROP OIL works well with oil-soluble herbicides that recommend the use of a COC.

If directions are not specific about the mixing or use rate of crop oil, use the following directions.

GROUND SPRAYS USING 5-50 GALLONS/ACRE: Typical use rates are 0.25 to 1% or 1 to 4 quarts per 100 gallons of tank mix. Do not exceed 2.5% by volume of spray solution.

AERIAL: Apply at a rate of 1 to 2 quarts per acre. Ensure enough water is applied for adequate coverage.

BRUSH CONTROL: For weed and brush control foliage sprays, use 1 gallon CROP OIL per 100 gallons of finished spray. For increased coverage in late season sprays, use 2 gallons per 100 gallons.

MIXING INSTRUCTIONS

Fill spray tank one-half full of water, add the desired amount of herbicide and other ingredients as recommended on the label, and continue filling. Add correct amount of CROP OIL last and continue agitation.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Store in original container only. Do not add anything to the container. Keep container tightly sealed when not in use. Do not store near fire, flame or other potential sources of ignition. Do not contaminate water, food or feed by storage or disposal of this product.

Disposal: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal if allowed by law. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers and materials must be disposed of in a manner allowed by local, state and federal laws and regulations.

Conditions of Sale and Warranty Limitation: The directions for use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of CHS or the seller. All such risks shall be assumed by the buyer. CHS warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. CHS makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. In no case shall CHS or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. CHS and the seller offer this product, and the Buyer and the User accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of CHS.

**NET CONTENTS:
275 Gallons (1041 L)**