

# Product Bulletin

E. I. du Pont de Nemours and Company Chestnut Run Plaza, 974 Centre Road Wilmington, DE 19805

## DuPont™ Aproach® Fungicide

EPA Reg. No. 352-840

### Special 2(ee) Recommendation†

(For Distribution and Use in the State of Idaho, Oregon, and Washington)

### For Control of Ergot (*Claviceps purpurea*) on Grass Grown for Seed

Refer to product label for DuPont™ Aproach® Fungicide for general use precautions, mixing directions, application directions, and restrictions.

#### ATTENTION

†This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for DuPont Aproach Fungicide before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of DuPont Aproach Fungicide according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for DuPont Aproach Fungicide.

#### Directions for Use

Crop/Crop Group	Disease Controlled	Rate (fluid ounces product per acre)	Treatment Instructions
Grass Grown for Seed: bluegrass, bromegrass, fescue, orchardgrass, ryegrass, and switchgrass only	Ergot ( <i>Claviceps purpurea</i> )	6 to 12	Begin applications prior to disease development and make a second application on a 5 to 14-day interval. Make a third application only after having applied a fungicide with a different mode of action. Use the higher specified rate and shorter interval when disease pressure is high.
<ul style="list-style-type: none"><li>• Make no more than 2 sequential applications of DuPont Aproach Fungicide before switching to a fungicide with a different mode of action.</li><li>• Do not apply more than 36 fluid ounces of DuPont Aproach Fungicide or make more than 3 applications per year.</li><li>• Minimum pre-harvest interval (PHI) between the last application is 0-days to forage after one application and 0-days to hay after multiple applications.</li></ul>			

®™ Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners

R602-004  
Issued: 3/30/20  
Initial printing