



Bayer CropScience LP
P.O. Box 12014
2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

EverGol Prime

Reduced Application Rate for Commercial Cotton Seed Treatment

EPA Reg. No. 264-1119

PRODUCT BULLETIN

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF MISSISSIPPI

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin should be in the possession of the user at the time of application of the product. All applicable directions, restrictions and precautions on the EPA registered label are to be followed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its label.

COMMERCIAL COTTON SEED TREATMENT

Pest	Rate of EverGol Prime	Remarks
Seed rot and damping-off caused by <i>Rhizoctonia solani</i>	Apply 0.32 fl oz per 100 lbs seed (5g ai per 100 kg seed) To deliver 0.005 mg ai per seed, apply 0.071 fl oz of the product per 100,000 seeds. (Based on an average of 4,500 cotton seeds per lb) Maximum number of applications per year is 3.	Use of this lower rate is permitted when applying EverGol Prime in combination with other products containing activity against <i>Rhizoctonia solani</i> .

SEED BAG TAG

The Federal Seed Act requires that the container of seed treated with EverGol Prime must be labeled with the following statements:

- This seed has been treated with EverGol Prime, which contains penflufen.
- Do not use treated seed for food, feed, or oil production. Excess treated seed may be used for ethanol production only if (1) by-products are not used for livestock feed and (2) no measurable residues of pesticide remain in ethanol by-products that are used in agronomic practice.
- User is responsible for ensuring that the seed bag meets all the requirements under the Federal Seed Act.

In addition, the US Environmental Protection Agency requires the following statements on the container of seed treated with EverGol Prime:

- Store away from feeds and foodstuffs.
- Wear long-sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves when handling treated seed.
- After the seeds have been planted, do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: Once the seeds are planted in soil or other planting media, the Worker Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact with the treated seeds in the soil or planting media.
- Dispose of all excess treated seed. Left over treated seed may be double sown around the headland or buried away from water sources in accordance with local requirements. Do not contaminate water bodies when disposing of planting equipment wash waters.
- Dispose of seed packaging in accordance with local requirements.
- Use planting equipment that will plant treated seed into the soil to a minimum depth of 0.5 inch.
- Crops for which there are registered uses of penflufen, which includes alfalfa, potatoes (Crop Subgroup 1C), legume vegetables (Crop Group 6/7), cereal grains (Crop Group 15/16), and oil seeds (Crop Group 20) may be replanted at any time. All other crops may be planted no less than 30 days after planting treated seeds.
- This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

- Treated seed exposed on soil surface may be hazardous to wildlife. Cover or collect seeds spilled during loading.
- Runoff may be hazardous to aquatic organisms in water adjacent to treated areas.
- For cotton: Do not exceed 0.0019 lb. active ingredient/A (0.86 g ai/A) per crop season. The maximum number of applications per year is 3. This seed has been treated with EverGol Prime at 0.32 fl oz per 100 lbs of seed (5 gai per 100 kg of seed, based on a seed size of 4500 seed per lbs this rate equals 0.005mg ai/seed).

**For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)**

*As with any crop-protection product, always read and follow label directions.
For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*