

Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

SAFETY SHEET GLIMO Ca

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: GLIMO Ca Trade code: 12583

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Fertilizer

1.3. Details of the supplier of the safety data sheet

Produced and packed by:

VALAGRO Spa

Via Cagliari, 1 Zona Industriale

66041 Atessa (CH) ITALY

Tel. (+39) 08728811 Fax (+39) 0872881382

www.valagro.com

Distributed and guaranteed by:

Valagro USA Inc.

2020 Ponce de Leon Blvd, Ste. 1203

Coral Gables, Fl 33134

Phone +1-786-230-1020 / +1-786-230-1019

Competent person responsible for the safety data sheet:

regulatory@valagro.com

1.4. Emergency telephone number:

Valagro USA Inc Phone +1-786-230-1020 / +1-786-230-1019

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200):

The product is not classified as dangerous

2.2. Label elements

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.



Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

3.2. Mixtures

Hazardous components within the meaning of OSHA Hazard Communication Standard (29 CFR 1910.1200) and CLP regulation and related classification:

None

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Never give anything by mouth to an unconscious person; If person is conscious rinse mouth with water and then give plenty of water to drink. Do not induce vomiting unless instructed to do so by medical personnel. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed:

Inhalation:

Possible irritation to the respiratory tract

Skin:

Possible irritation according to the contact time with the product

Eye:

Possible irritation according to the contact time with the product

Ingestion:

Possible irritation of mouth and digestive tract.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

N.A.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke containing nitrogen oxides, sulfur oxides.

5.3. Advice for firefighters



Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

Wear suitable personal protective equipment and self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

Protective clothing for firefighters (full protective suit, helmet, gloves, boots) must conform to the standard EN469

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training.

Wear protective clothes giving a total skin protection, gloves, safety glasses and mask with filter P2

Keep away from the affected area people not involved in the emergency intervention.

Ensure adequate ventilation, move people in a safe place.

Alert the internal emergency team.

- For emergency responders:

Wear protective clothes giving a total skin protection, gloves, safety glasses and mask with filter P2.

Ensure adequate ventilation, move people in a safe place.

See protective measures under point 7 and 8.

Avoid dust generation

Dusts at sufficient concentrations can form explosive mixtures with air

Avoid any accumulation of electrostatic charge

Product layer on hot surface might cause auto-ignition

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it in landfill approved;

If possible, collect in clean plastic containers labeled and reuse as fertilizer.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, sol, sand.

6.3. Methods and material for containment and cleaning up

Collect the product for example using shovel and broom

Avoid raising dust

Wash with plenty of water, contain the spill with absorbent material, earth, sand.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

Ensure adequate ventilation

Avoid dust generation

Dusts at sufficient concentrations can form explosive mixtures with air



Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

Avoid any accumulation of electrostatic charge which may create a hazardous condition and cause an ignition.

Product layer on hot surface might cause auto-ignition

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original containers tightly closed in a well-ventilated place far from humidity and heat source

Keep away from food, drink and feed.

Incompatible materials:

Oxidants, reducing agents, acids and bases Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Fertilizer

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ACGIH

ACGIH (2003): recommended value inhalable dust: TLV/TWA: 10 mg/m³ ACGIH (2003): recommended value breathable dust: TLV/TWA: 3 mg/m³

8.2. Exposure controls

The personal protective equipment must be compliant to the regulation UNI - EN in force Eye protection:

Use close fitting safety goggles according to the standard EN 166, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin

Protection for hands:

Wear nitrile rubber gloves according to EN 374.

Respiratory protection:

In case of dust generation, use anti-powder mask with P2 filters according to the EN 149:2001.

The powder exposition limit must be respected

Thermal Hazards:

None identified

Environmental exposure controls:

Prevent the contamination of soil, surface water or groundwater

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: Light brown microgranules

Odour: typical pH 1% at 25°C: 5,9
Melting point / freezing point: N.A.

Initial boiling point and boiling range:not applicable, solid Flash point:

not applicable, solid Evaporation rate:

not applicable, solid

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits:N.A.
Vapour density: not applicable, solid
Vapour pressure: not applicable, solid



Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

Apparent Density: 0,9 Kg/dm3
Solubility in water: 200 g/l at 20 °C
Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: not applicable, solid

Explosive properties: not applicable, the substance does not have exlosive properties

Oxidizing properties: not applicable, the substance does not have oxidizing

properties

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

N.A.

10.4. Conditions to avoid

Avoid heating the product at high temperatures

Avoid dust generation and any accumulation of electrostatic charge Dusts at sufficient concentrations can form explosive mixtures with air

10.5. Incompatible materials

Strong oxidizing and reducing agents, acids and bases

10.6. Hazardous decomposition products

In case of fire and high temperatures can develop nitrogen oxides, sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure:

Inhalation:

Possible irritation to the respiratory tract

Skin:

Possible irritation according to the contact time with the product

Eye:

Possible irritation according to the contact time with the product

Ingestion:

Possible irritation of mouth and digestive tract.

SECTION 12: Ecological information

Adopt good working practices, so that the product is not released into the environment.

12.1. Toxicity

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

The product is soluble and mobile in both terrestrial and aquatic compartments



Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product :Recover if possible. In so doing, comply with the local and national regulations currently in force.

Packaging: Dispose according to regulations.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing Group

N.A.

14.5 Environmental hazards

IMDG-Marine pollutant:

No

14.6. Special Precautions for User

N.A.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

N.A.

SECTION 15: REGULATORY INFORMATION

Hazard Communication Standard (HCS) Haz Com 2012

OSHA, 29 CFR 1910.1200(g) and Appendix D. United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS), third revised edition, United Nations, 2009. Hazard Communication Standard

United Nations Recommendations on the Transport of Dangerous Goods.

OSHA Permissible Exposure Limit

29 CFR 1926.55 Appendix A

American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV) National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limit (REL) Chemical Abstracts Service (CAS) Registry Number

SECTION 16: OTHER INFORMATION

This document was prepared by a competent person who has received appropriate training. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

N.A. no data available

ADR: European Agreement concerning the International Carriage of



Product: GLIMO Ca Code: 12583

Print Date: April 24, 2018

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.