

FIFRA Section 24(c) Special Local Need Label

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

PRONAMIDE

GROUP

3

HERBICIDE

For Distribution and Use Only in the State of Oregon

Kerb® SC

EPA Reg. No. 62719-578

EPA SLN No: OR-110013

Weed Control in Established Orchardgrass Grown for Seed

Expiration Date: This label is valid until December 31, 2027, or until otherwise amended, withdrawn, canceled, or suspended.

Active Ingredient:

pronamide: 3,5-dichloro-N-(1,1-dimethyl-2-propynyl) benzamide.....	35.6%
Other Ingredients	64.4%
Total	100.0%

Contains 3.3 lbs of active ingredient per gallon.

Keep Out of Reach of Children

CAUTION

Causes Moderate Eye Irritation.

Avoid contact with eyes or clothing.

Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Directions for Use

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This Special Local Need (SLN) label and the main EPA registered label for this product must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA registered label for Kerb SC, EPA Reg. No. 62719-578.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

General Information

Kerb® SC herbicide is effective for the control and/or suppression of undesirable seedling grasses.

NOTE: *Due to the close proximity of native prairie remnants to agricultural areas and the potential for these areas to be adversely affected by herbicides through drift or possible runoff/soil movement, Kerb SC should not be applied directly to native prairie habitats. It is recommended that dosage rates be maintained at the lower end of the use rate range (if effective seedling control can be achieved) in a further effort to lessen potential impacts to endangered species.*

Weeds Controlled/Suppressed

Kerb SC will provide preemergence and postemergence control/suppression of the following seedling weeds when used according to label directions:

Bromus Species	<i>Bromus species</i>
Wild Oat	<i>Avena species</i>
Annual Ryegrass	<i>Lolium multiflorum</i>
Volunteer Orchardgrass	<i>Dactylis glomerata</i> .

Application Instructions

Apply a single application of Kerb SC using ground application equipment at a rate of 10.0-15.0 fl oz (0.25 to 0.375 lb ai) per acre for preemergence and postemergence control/suppression of undesirable seedling grasses in established orchardgrass fields that have produced at least one seed crop. Make application once the fall rains have moistened the soil and the soil temperature is 55°F or less (typically between November 1 and January 15). Do not apply after January 15. Do not apply more than 15.0 fl oz (0.375 lb ai) of Kerb SC per acre per 365-day period.

Do not apply Kerb SC to sandy or gravelly areas or fields under stress due to drought, flooding, excessive fertilizer, soil salts, cold temperatures, hail, injury from previously applied pesticides or injury due to insects or diseases, as excessive injury may result.

Specific Use Restrictions

- Do not apply by aerial application.
- Kerb SC may only be applied using ground application equipment.
- **Chemigation:** Do not apply this product through any type of irrigation system.
- **Do not** graze livestock in treated fields within 180 days of application.
- **Do not** apply Kerb SC herbicide within 180 days of harvesting grass hay.

24(c) Registrant: Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054 USA
800-992-5994

™ ®Trademarks of Corteva Agriscience and its affiliated companies

R361-042
Accepted: 2/01/23
Replaces: R361-027