

FIFRA Special Local

Need Label (SLN)



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

FIFRA 24(c) Special Local Need Label For Distribution and Use Only in the State of California

For Control of Herbaceous Broadleaf Weeds And Woody Plants In
Forests And Grazed Areas In And Around These Sites

Milestone[®]

EPA Reg. No. 62719-519

SLN # CA-130004

This label expires and must not be distributed or used in accordance with this
SLN registration after December 1, 2022.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This state-specific 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions, including statements pertaining to the Worker Protection Standard, on the EPA registered label for Milestone, EPA Reg. No. 62719-519, and this label.

Directions for Use

Forests and Non-Crop Areas

Milestone[®] specialty herbicide may be applied to forests and non-crop areas as an aerial or ground broadcast application, as a spot application, or as a foliar application (see Forest Management section below) to control herbaceous broadleaf weeds and woody plants. Avoid spray containing Milestone from coming in contact with foliage of desirable tree species. Milestone may be applied alone or in tank-mix combinations with labeled rates of other herbicides provided: (1) the tank mix product is labeled for the timing and method of application for the use site to be treated and (2) mixing is not prohibited by the label of the registered tank mixed products. Use as directed in the Directions of Use section of the tank-mix partner.

Spot Applications: Spot treatments may be applied at an equivalent broadcast rate of up to 0.22 lb acid equivalent (14 fl oz of Milestone) per acre per annual growing season; however, not more than 50% of an acre may be treated at that rate. Do not apply more than a total of 0.11 lb acid equivalent (7 fl oz per acre of Milestone) per annual growing season as a result of broadcast, spot or repeat applications. Spray volume should be sufficient to thoroughly and uniformly wet weed foliage, but not to the point of runoff. Repeat treatments may be made, but the total amount of Milestone applied must not exceed 7 fl oz per acre per year. To prevent misapplication, spot treatments should be applied with a calibrated boom, boomless spray system, hand-held, or backpack sprayers.

Forest Management Applications

For best control from broadcast and directed spray applications of Milestone, use a spray volume which will provide thorough plant coverage. Recommended spray volumes are usually 10 to 25 gallons per acre by air or 10 to 100 gallons per acre by ground. To improve spray coverage of spray volumes less than 50 gallons per acre, add a non-ionic surfactant at the rate specified on the surfactant label.

Site Preparation

To control herbaceous weeds use 7 fluid ounces of Milestone and apply in a total spray volume of 10 to 30 gallons per acre. Use a non-ionic surfactant for all foliar applications. When tank mixtures of herbicides are used, labels for all products in the mixture must be followed and the longest specified waiting period before planting observed.

Note: Conifers planted sooner than 2 months after treatment with Milestone may be injured. Symptoms include curled or twisted needles and swollen buds.

Conifer Release - Directed Spray Application

Use Milestone mixed with other herbicides registered for conifer release, such as Garlon 4 Ultra, to improve control of woody brush such as Scotch broom and blackberry. Tank mixtures with other herbicides, such as Vista XRT and or Rodeo, registered for forest use may be necessary to control woody brush if brush is not susceptible to Milestone. To improve spray coverage, add a non-ionic surfactant at the rate specified on the surfactant label. The spray mixture should be directed onto foliage of competitive hardwoods using knapsack or backpack sprayers with flat fan nozzles or equivalent any time after hardwoods have reached full leaf size, but before autumn coloration. The majority of treated hardwoods should be less than 6 feet in height to ensure adequate spray coverage. Care should be taken to direct spray away from contact with conifer foliage, particularly foliage of desirable pines.

Note: Milestone should not be used broadcast over desired conifer species.

Restriction: Do not apply this product through any type of irrigation system.

Registrant: Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268
800-992-5994 (option 4)

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R879-074
Accepted: 11/28/17
Replaces: R879-025