

For distribution and use only in the
counties of Hamilton, Highlands, and
Suwannee in the state of Florida

**FIFRA Sec. 24(c)
Special Local Need Label**



For use in biofuel crops

EPA Reg. No. 241-418

EPA SLN No. FL-120007

Active Ingredient*:

pendimethalin: N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine..... 38.7%

Other Ingredients: 61.3%

Total: 100.0%

*1 gallon contains 3.8 pounds of pendimethalin formulated as an aqueous capsule suspension.

Directions For Use

Refer to the Prowl[®] H₂O herbicide main label, EPA Reg. No. 241-418, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this supplemental label, the user must have this label and the entire Prowl H₂O container label in possession at the time of pesticide application.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Product Information

Prowl H₂O is a selective herbicide for controlling most annual grass weeds and certain broadleaf weeds as they germinate. Refer to the **Prowl H₂O** container label for a complete list of weeds controlled.

Application Instructions

Prowl H₂O may be applied by ground or chemigation, or by air.

Use Methods and Timings

Prowl H₂O may be applied **only in established stands** (defined as planted and which has gone through a first harvest) of miscanthus (*Miscanthus x giganteus*), switchgrass (*Panicum virgatum*), and napier grass (*Pennisetum purpureum* Schum.).

Apply **Prowl H₂O** before target weed germination during winter dormancy until just before spring greenup or immediately after a harvest (i.e. between cuttings). Uniformly apply **Prowl H₂O** at a broadcast rate of 1.1 to 2.6 quarts per acre in a single application.

Prowl H₂O may also be applied in two split applications, with 1/2 the seasonal application rate applied during winter dormancy followed by the remaining 1/2 of the seasonal application rate applied after a cutting. **DO NOT** apply more than a maximum cumulative total of 5.2 quarts of **Prowl H₂O** per acre per year.

Use the higher application rate of **Prowl® H₂O herbicide** where more dense infestations of targeted annual grass weeds and annual broadleaf weeds are anticipated, or when a longer duration of residual weed control is desired.

Prowl H₂O may be applied in a sequential use program or as a tank mix with other registered herbicides that control emerged weeds.

Prowl H₂O may cause temporary injury to perennial grass stands. Disease, extremely cold weather, drought, extensive frost heaving, low or high pH, or salinity may weaken stands and make the crop more susceptible to herbicide injury.

Chemigation Application

Prowl H₂O may be applied through sprinkler irrigation systems. Follow all directions, special instructions, and precautions about chemigation in **Spraying Instructions** section of the container label.

Restrictions and Limitations

- **DO NOT** apply **Prowl H₂O** if surface water is present in the field.
- **DO NOT** apply more than a maximum cumulative total of 5.2 quarts of **Prowl H₂O** per acre per year.
- **DO NOT** feed **Prowl H₂O**-treated grass forage, silage, or hay to livestock.
- **DO NOT** allow livestock to graze **Prowl H₂O**-treated grass fields.
- **DO NOT** plant other crops within 24 months of **Prowl H₂O** application.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Prowl is a registered trademark of BASF.

© 2012 BASF Corporation
All rights reserved.

000241-00418.20121106.NVA 2012-04-195-0169

24(c) registrant:
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


The Chemical Company