SAFETY DATA SHEET

This document has been prepared to meet the requirements of the U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200, the EU Directive, 91/155/EEC and other regulatory requirements.

1. Company and Product Identification

Product: Semios OFM Plus

Company: SemiosBio Technologies, Inc.

204A-3430 Brighton Avenue

Burnaby BC V5A 3H4

Canada

For General Information:

(604) 229-2044

2. Ingredients

Ingredient Name	% by weight	Exposure Limits
Active Ingredients: z-8-Dodecenyl acetate e-8-Dodecenyl acetate z-8-Dodecenol	10.59% 0.96% 0.15%	None established
Inert Ingredients: Solvent and propellant	to 100%	None established

3. Hazards Identification

Emergency Overview: Contents under pressure. Can decompose at high temperatures forming toxic gases.

WHMIS Classification

B-3 Combustible liquids

GHS Classification Flammable liquids (Category 3)

Skin irritation (Category 3) Eye irritation (Category 2B)

Potential Health Effects:

Inhalation: This product may be mildly irritating to the nose, throat and respiratory tract and may cause coughing and sneezing.

Skin Contact: No evidence of adverse effects from available information.

Eye Contact: Eye irritant. Liquid and vapors may irritate eyes. Eye damage from contact with liquid is reversible and proper treatment will result in healing within a few days. Damage is usually mild to moderate conjunctivitis, seen mainly as redness of the conjunctiva.

Ingestion: Product is an aerosol. Ingestion is not a likely route of exposure.

4. First Aid Measures

FIRST AID PROCEDURES

Inhalation: Move victim to fresh air. Give artificial respiration ONLY if breathing has stopped. Oxygen may be given if necessary. Seek medical attention immediately.

Skin Contact: Flush contaminated area with water for at least 20 minutes. Remove contaminated clothing under running water. Completely decontaminate clothing before re-use, or discard. If irritation occurs seek medical attention.

Eye Contact: Immediately flush eyes with running water for a minimum of 20 minutes. Hold eyelids open during flushing. Obtain medical attention IMMEDIATELY.

Ingestion: Have victim drink about 250ml (8fl. oz.) of water to dilute material in stomach. Do not induce vomiting. Seek medical attention immediately.

5. Fire Fighting Measures

Flashpoint (°C)	Autoignition	Flammability Limits in Air (%):		
	Temperature (°C)	LEL	UEL	
61.9°C	422°C	3.3	19	

Flammability Class (WHMIS): B-3: Combustible liquid.

.

Hazardous Combustion Products: Thermal decomposition products are toxic and may include oxides of carbon.

Unusual Fire or Explosion Hazards: Vapours from this product are heavier than air, and may "travel" to a source of ignition (eg. pilot lights, heaters, electric motors) some distance away, and then "flash back" to the point of product discharge causing an explosion and fire. Expansion of liquid and change of state from liquid to vapour will allow combustible mixture to encompass a large area.

Sensitivity to Mechanical Impact: Not expected to be sensitive to mechanical impact.

Sensitivity to Static Discharge: Expected to be sensitive to static discharge when vapours are present between the lower and upper explosive limits.

Fire Extinguishing Media: Do not extinguish flame unless leak can be stopped immediately. Use carbon dioxide or dry chemical media for small fires. If only water is available, use it in the form of a fog.

6. Accidental Release Measures

Personal precautions: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions: Prevent leakage or spillage. Do not let product enter drains.

Methods and materials for containment and cleaning up: Contain spillage, and collect liquid with adsorbent material, and place in container for disposal according to local regulations. Keep in suitable, closed containers for disposal.

7. Handling and Storage

Precautions for safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition. Take measures to prevent electrostatic discharge.

Conditions for safe storage: Keep aerosol canister in a dry and well-ventilated place. Ideal storage temperature is 10 - 27°C. Do not expose sealed containers to temperatures above 40° C. Protect against physical damage.

8. Exposure Control / Personal Protection

Personal protective equipment

Engineering Controls: Local exhaust ventilation required. Ventilate low lying areas such as sumps or pits where dense vapours may collect.

Respiratory protection: Up to 1000 ppm, an approved organic vapour cartridge respirator can be used. For concentrations above 1000 ppm, an air-supplying respirator is recommended.

Hand protection: Handle with gloves. Wash and dry hands.

Eye protection: Safety glasses with side-shields should be used.

Skin and body protection: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Exposure Guidelines (Propellant):

SUBSTANCE	ACGIH TLV	OSHA PEL		NIOSH REL	
	(STEL)	(TWA)	(STEL)	(TWA)	(STEL)
Propane		1000 ppm		1000 ppm	
n-Butane	_			800 ppm	
Isobutane	_			800 ppm	

9. Physical and Chemical Properties

Physical State: liquid

Colour: clear, colorless

Odour: waxy

Odour Threshold no data available pH no data available Melting point no data available Boiling point no data available

Flash point 61.9°C

Ignition temperature no data available

Auto-ignition 422°C

Lower explosion limit no data available Upper explosion limit no data available

Vapour pressure no data available

Density 0.807 g/mL at 20°C (68 °F) excluding propellant

Water solubility no data available

Partition coefficient: no data available n-octanol/water

Relative vapour density no data available Evaporation rate no data available

10. Stability and Reactivity

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: no data available

Conditions to avoid: Sources of ignition.

Materials to avoid: Oxidizing agents.

Hazardous decomposition products: Burning can produce carbon monoxide and/or carbon dioxide.

Other decomposition products: no data available

11. Toxicological Information

Acute Toxicity

Oral LD50: no data available

Inhalation LC50: no data available

Dermal LD50: no data available

Skin corrosion/irritation: Skin - rabbit - Mild skin irritation

Eyes: - rat - Moderate eye irritation

Respiratory or skin sensitization: no data available

Carcinogenicity: Not carcinogenic

Reproductive toxicity and Teratogenicity: no data available

12. Environmental Information

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

13. Disposal

The aerosol container is not refillable. When container is empty, recycle if available. If recycling is not possible, wrap the container and dispose in landfill.

14. Transportation Information

Proper Shipping Name: UN1950 Aerosols flammable DOT Hazard Class: 2.1

Ground: UN1950 Aerosols, flammable, Class 2.1

Air: UN1950 Aerosols, flammable, Class 2.1

Marine: UN1950 Aerosols, flammable, Class 2.1

15. Regulatory Information

NFPA Ratings: Health - 1 Fire - 2 Reactivity - 0 Special - none

TSCA: All ingredients in this product are either listed or excluded from the TSCA

Inventory.

SARA Title III: This product does not contain any ingredients subject to Section 313 (40 CFR

372) reporting requirements.

WHMIS Classification

B-3 Combustible Liquid

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

16. Other information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of manufacturer's knowledge and is applicable to the product with regard to appropriate safety precautions. SemiosBIO Technologies Inc. shall not be held liable for any damage resulting from handling or from contact with the above product