

Product Bulletin



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Starane[®] NXT

EPA Reg. No. 62719-557

2(ee) Recommendation[†]

Tank Mix with Axial[®] or Discover[®] for One-pass Broadleaf and Grass Control in Wheat and Barley

For Distribution and Use in Idaho, Minnesota, Montana, North Dakota, Oregon, South Dakota, Utah
and Washington

ATTENTION

[†] This recommendation is permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA or state lead pesticide agency.

- It as a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for Starane NXT herbicide.

Starane NXT herbicide may be applied at 14 to 21 fl.oz.per acre in tank combination with Axial for control of wild oats, green foxtail, yellow foxtail and Persian darnel plus broadleaf weeds listed on the label for Starane NXT. This tank mix may be applied to wheat (excluding durum) and barley.

Starane NXT herbicide may be applied at 14 to 21 fl.oz.per acre in tank combination with Discover or Discover NG for control of wild oats plus broadleaf weeds listed on the label for Starane NXT. This tank mix may be applied to wheat, including durum.

For control of additional broadleaf weeds, 4 to 6 oz ae per acre of MCPA ester (0.5 to 0.75 pint per acre of a 4 lb/gal formulation) may be added. Apply to wheat and targeted weeds according to directions on all product labels. Only susceptible weeds which have emerged at the time of application will be controlled.

Follow applicable use directions, precautions and limitations on the EPA-registered labels for Starane NXT, Axial and Discover herbicides.

Note: Group 1 (ACC-ase) resistant biotypes of grasses such as wild oats may not be effectively controlled by Axial or Discover. In situations where satisfactory grass control has not been obtained and Group 1 resistance is suspected, growers will be advised to conduct bioassays to determine grass susceptibility to the Group 1 mode of action.

Starane[®] NXT is a trademark of Dow AgroSciences LLC
Axial[®] and Discover[®] are trademarks of a Syngenta Group
Company

R052-004
Issued: 05/07/07
Initial printing.