

# Product Bulletin



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Trellis<sup>®</sup> SC

EPA Reg. No. 62719-659

### 2(ee) Recommendation†

**Tank Mixing for Weed Control in Bearing Tree Nuts and Grape Vineyards, and Non-Bearing Fruit Trees, Nut Trees, and Vines**

#### ATTENTION

†This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for Trellis<sup>®</sup> SC herbicide.

#### Directions for Use

Trellis SC may be tank-mixed with preemergence and postemergence herbicides in bearing tree nuts, bearing grape vineyards, and non-bearing fruit trees, nut trees, and vines.

##### Trellis SC - Tank Mix

Trellis SC may be tank mixed with labeled rates of glyphosate or other postemergence herbicides registered for the control of existing unwanted vegetation in bearing tree nuts, bearing grape vineyards, and non-bearing fruit trees, nut trees, and vines. Trellis SC may also be tank mixed with labeled rates of other preemergence herbicides for the control of annual grasses and broadleaf weeds in bearing tree nuts, bearing grape vineyards, and non-bearing fruit trees, nut trees, and vines. Use the tank mix in accordance with the more restrictive of label limitations and precautions. Do not exceed any label dosage rates. This product cannot be mixed with any product containing a label prohibition against such mixing.

When tank mixing Trellis SC with other materials, a compatibility (jar test) using relative proportions of the tank mix ingredients should be conducted prior to mixing ingredients in the spray tank. Use a clear glass quart jar with lid and mix the tank mix ingredients in the required order and their relative proportions. Invert the jar containing the mixture several times and observe the mixture for approximately 1/2 hour. If the mixture balls-up, forms flakes, sludges, jels, oily films or layers, or other precipitates, it is not compatible and the tank mix combination should not be used.

**Mixing Order for Tank Mixes:** Add Trellis SC to the spray tank as described above and fill the spray tank to 3/4 of the required spray volume. Start agitation and add different formulation types in the order indicated below, allowing two to three minutes for complete dispersion and mixing after addition of each product.

1. Dry flowables
2. Wettable powders
3. Aqueous suspensions (such as Trellis SC)
4. Flowables
5. Liquids
6. Solutions
7. Emulsifiable or liquid concentrates

Finish filling the spray tank with water to the final volume. Maintain continuous agitation during mixing, final filling and throughout application. Follow label directions for each material added to the tank.

When using Trellis SC alone or in a tank mix, if spraying and agitation must be stopped before the spray tank is empty, the materials may settle to the bottom. Settled materials must be re-suspended before spraying is resumed. A sparger is particularly useful for this purpose.

#### **Tank Mixes with Trellis SC Herbicide**

**Important:** Read and observe applicable use directions, precautions and limitation on the respective tank mix labels. In interpreting the labels of tank mix products, the most restrictive limitations must apply.

#### **Trellis SC Tank mixing - Specific Use Directions**

- Trellis SC may be tank mixed with labeled rates of glyphosate or other postemergence herbicides registered for the control of existing unwanted vegetation in bearing tree nuts and bearing grape vineyards.
- Trellis SC may be tank mixed with labeled rates of glyphosate or other postemergence herbicides registered for the control of existing unwanted vegetation in non-bearing fruit trees, nut trees, and vines.
- Trellis SC may be tank mixed with labeled rates of other preemergence herbicides for the control of annual grasses and broadleaf weeds in bearing tree nuts and bearing grape vineyards.
- Trellis SC may be tank mixed with labeled rates of other preemergence herbicides for the control of annual grasses and broadleaf weeds in non-bearing fruit trees, nut trees, and vines.

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R916-002  
Issued: 11/18/15  
Initial printing