

# STOLLER® WHITE LABEL FIELD CROP Mix

## Specimen Label

### WHITE LABEL

A Nutrient Fertilizer  
Supplement For Foliar  
And Soil Application

# FIELD CROP Mix



Manufactured by Stoller Enterprises, Inc.  
4001 W. Sam Houston Parkway North, Suite 100  
Houston Texas 77043 USA  
Phone: 1-800-539-5283 or 713-461-1493 | Fax: 713-461-4467  
E- Mail: [stoller@stollerusa.com](mailto:stoller@stollerusa.com) | Website: [www.StollerUSA.com](http://www.StollerUSA.com)

## Stoller White Label Field Crop Mix

### MINIMUM GUARANTEED ANALYSIS

Sulfur (S)	4.00%
Boron (B)	0.25%
Copper (Cu)	1.00%
Iron (Fe)	0.50%
Manganese (Mn)	2.00%
Zinc (Zn)	4.00%

### GENERAL INFORMATION

**White Label Field Crop Mix** is a foliar or soil- applied micronutrient and is non- phytotoxic when used as directed. **White Label Field Crop Mix** is completely available and absorbed by the leaf surface or the root system because of the phenolic acid complex. **White Label Field Crop Mix** is an excellent acidification agent for lowering high pH in spray tank water to decrease the hydrolysis of most pesticides. **White Label Field Crop Mix** is an effective dispersing agent when applied with other foliar spray chemicals. **White Label Field Crop Mix is recommended on the following crops:** Alfalfa, Almonds, Avocados, Apples, Barley, All beans, Broccoli, Cabbage, Cauliflower, Carrots, Celery, Citrus, Corn, Grapes, Lettuce, Milo, Melons, Nectarines, Rice, Pears, Peaches, Pecans, Peppers, Plums, Potatoes, Peanuts, Sorghum, Soybeans, Sugar beets, Sweet corn, Sugar cane, Strawberries, Tomatoes, Turnips, Walnuts, Watermelons, Wheat and most other crops.

#### CAUTION: Keep Out Of Reach Of Children

**WARNING:** This product contains boron and the use of this product on any crop other than those recommended by this label may result in serious injury to the crop.

**Storage Instructions:** We recommend when storing pails of **White Label Field Crop Mix**, to stack a maximum of two- pails high with each pallet two pails high.

**Conditions Of Sale:** 1. Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one other than an officer of Seller is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

**CAUTION: This product contains boron and should be used only according to label directions.**

### GENERAL APPLICATION RATES

#### When Leaf and Soil Tests Are Not Available:

Maintenance application	1 quart per acre
Moderate deficiency	1/2 to 1 gallon per acre
Heavy micronutrient deficiency	1 to 2 gallons per acre

**Vegetables:** Apply 1 to 2 pints per acre each spray. **White Label Field Crop Mix** can be incorporated in the normal spray program. Remember: Mix **White Label Field Crop Mix** in the spray tank before pesticides are added.

**Tree Crops:** Apply 1 gallon **White Label Field Crop Mix** in 500 gallons of dilute spray. If concentrated spray is used, increase the concentration in direct proportion to dilution. If tree crops are sprayed several times a year, the above amount can be split into more numerous applications. Split applications over the year are considered more beneficial than single applications.

**Field crops:** Apply recommended rates when plants are young. This is the time when most severe deficiencies occur. **White Label Field Crop Mix** will disperse in water with little agitation. Many pesticides can be added and applied while spraying **White Label Field Crop Mix**. Follow this mixing sequence:

1. Water
2. **White Label Field Crop Mix**
3. Pesticide

When foliar spraying **White Label Field Crop Mix** through conventional sprayers, use a minimum of 20 gallons of water per acre. When foliar spraying **White Label Field Crop Mix** with low volume equipment, 5 gallons of water per acre is usually sufficient. If less water is used, slight burning of the foliage may occur. A maximum of 1/2 gallon per acre per application is recommended. Aerial applications should not exceed 1 quart per gallon of water. For best results spray when the crop is in an active growing state, after irrigation or natural rainfall. Spray early in the morning or late afternoon. Mid- day sprays may not be effective because of excessive moisture evaporation. The addition of 1/2% (total solution) of nitrogen solution, ammonium sulfate or L.B. Urea may aid leaf absorption.

**Liquid Fertilizer:** Mix **White Label Field Crop Mix** with liquid fertilizer agitating to thoroughly disperse the trace elements. This can be achieved by adding the product to the mixing batch tank or inducting through a pump. When mixing in batch tank, add product to water nitrogen solution before adding phosphate material. Stoller Enterprises, Inc. also manufactures a line of chelates for high- analysis fertilizer. **White Label Field Crop Mix** is compatible with most insecticides, fungicides, foliar nutrients and herbicides. It can be applied in existing spray programs. **White Label Field Crop Mix** can be applied with most herbicides. Use 1 quart per acre in banded application and 2 quarts per acre in broadcast application. **White Label Field Crop Mix** is compatible most water-dispersed herbicides. **White Label Field Crop Mix** is an excellent acidification agent for alkaline water. High pH water will break down many insecticides such as Sevin, Dylox, Ethyl Parathion, Malathion, Methyl Parathion and other organ phosphate insecticides, decreasing the effectiveness of the pesticides. **White Label Field Crop Mix** is manufactured to rigid controls at the highest possible concentration for effective usage. Any residue in this pail is water soluble. Rinse the pail with water and add solution to spray tank. Stoller **White Label Field Crop Mix** MINIMUM GUARANTEED ANALYSIS Sulfur (S) 4.00% Boron (B) 0.25% Copper (Cu) 1.00% Iron (Fe) 0.50% Manganese (Mn) 2.00% Zinc (Zn) 4.00%